



4-8-03
#10
Journal
DWP

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Stefan Wintermantel

Serial No: 09/806,085

Filing Date: March 22, 2001

Title: CONNECTION ELEMENT FOR ATTACHMENT OF
REMOVABLE DENTURES AT TOOTH CROWNS OR TOOTH
IMPLANTS

Examiner: Wilson, John J

Art Unit: 3427

RECEIVED
MAR 21 2003
TECHNOLOGY CENTER R3700

March 5, 2003

Attorney's Docket No. DRN204

Submission

Box AF

Hon. Commissioner of Patents and Trademarks
Washington, D.C. 20231

SIR:

This is in response to the Office Action mailed on December 13, 2003
and setting a shortened statutory period for response of three months to expire
on March 13, 2003.

The Office Action refers to drawings:

Drawings

The drawings filed March 22, 2001 are objected to by the examiner
because the letter designations located within darkened cross-hatching are

Drawings objected to
Coral

unclear. The drawing do not clearly show the invention, a figures or figures showing a denture and/or implant and the orientation of the elements is required. No new matter may be added.

In response applicant is respectfully submitting 4 sheets of formal drawings (Figs. 1-21).

Respectfully submitted,
Stefan Wintermantel

By: 

Robert J. Ferb, his attorney
13 Forest Drive, Warren, N.J. 07059
Tel.: (908)526-1717; Reg. No. 29536
Attorney's Docket No.: DRN204

*%opt1\PAMEND(sn-